



Manipulative Performance Test

Procedures Handbook 4300

FIREFIGHTER SAFETY

TOPIC/EQUIPMENT: Deploy A Canister Fire Resistive Blanket

CATEGORY: Performance Examination

POINTS POSSIBLE: 100

TIME ALLOWED: 20 seconds

BEHAVIORAL OBJECTIVE:

Condition: A CDF engine with a canister fire resistive blanket

Behavior: The student will deploy the canister fire resistive blanket while wearing full wildland fire personal protective clothing.

Standard: With a minimum 70% accuracy, within 20 seconds, according to the score sheet

MATERIALS NEEDED:

- One (1) CDF Engine with Canister Fire Resistive Blanket
- One (1) Set of Wildland Fire Personal Protective Clothing Per Student
- One (1) Score Sheet Per Student
- One (1) Stop Watch
- One (1) Manipulative Performance Test Cover Page
- One (1) Red Pen
- One (1) Clip Board

PROCEDURES:

- The examination and time will start when the student either verbally or by conduct performs any step of the manipulative performance test.

SCORING:

Points will be deducted for each step omitted, performed improperly, or performed out of sequence. Steps designated by an asterisk (*) must be performed properly or the student fails the entire examination. If the student goes over the allotted time he/she will fail the examination.

4306.10.1



Manipulative Performance Test

Procedures Handbook 4300

FIREFIGHTER SAFETY

SPECIAL NOTES:

Before the examination begins the student will be allowed to ask any clarifying questions and inspect the equipment. The student will be seated in the crew compartment seat, and wearing full wildland fire personal protective clothing.

Once the examination begins, the exam proctor shall not answer any questions or intercede in any way, unless safety violations occur that would injure personnel or damage equipment.

4306.10.1

Score Sheet

DEPLOY A CANISTER FIRE RESISTIVE
BLANKET

DATE ___ / ___ / ___ TEST # _____ RETEST # _____ UNIT # _____

STUDENT'S NAME _____

EVALUATOR'S NAME _____

STEPS AND PROCEDURES

	<u>POINTS</u>
1. Turn upper torso toward canister	___ 2
A. Release canister latch	___ 7
B. While remaining seated	___ *
2. Open canister cover fully	___ 7
3. Grasp fire blanket pull strap	___ 7
4. Fully extend fire blanket	___ 7
A. Over head	___ 7
B. Turning body to face opposite seat	___ 2
C. Using overhand throwing motion	___ 3
D. Without releasing pull strap	___ 3
5. Secure fire blanket pull strap to floor	___ 7
A. Bending forward	___ 2
B. Stepping on pull strap with both feet	___ 7
6. Fully unfold top fold	___ 7
A. Pulling top fold of fire resistive blanket toward rear of engine using handhold	___ 2
B. While remaining seated under fire blanket	___ *

4306.10.1

Score Sheet

	<u>POINTS</u>
C. Without releasing top fold handhold	<u>7</u>
7. Fully unfold bottom fold	<u>7</u>
A. Pulling bottom fold of fire resistive blanket toward front of engine using handhold	<u>2</u>
B. While remaining seated under fire blanket	<u>*</u>
C. Without releasing bottom fold pull loop	<u>7</u>
8. Gather and anchor fire blanket edges	<u>*</u>
A. Pulling towards and behind feet	<u>7</u>
B. Anchoring edges to floor and seat base	<u>*</u>
C. With feet and hands	<u>*</u>
9. Ensure fire blanket fully sealed	<u>*</u>
A. No exposed body parts	<u>*</u>
B. No openings for heat access	<u>*</u>
TIME STOPS	<u>*</u>

POINTS POSSIBLE: 100

POINTS DEDUCTED:

FINAL SCORE:

COMMENTS:
