



Fire Protection Training

Procedures Handbook 4300

HOSE

TOPIC: How To Make An Out-of-Service Hose Roll - One Person Method

TIME FRAME: 15 Minutes

LEVEL OF INSTRUCTION:

BEHAVIORAL OBJECTIVE:

Condition: One length of hose with male and female couplings

Behavior: The student will roll hose using the out-of-service hose roll - one person method.

Standard: With a minimum of 70% accuracy within two minutes

MATERIALS NEEDED:

- One length of hose per student
- Stop watch
- Performance examination
- Tally sheet

REFERENCES:

- IFSTA, Essentials of Fire Fighting, 2nd Edition, Chapter 10

PREPARATION: When hose becomes damaged at the scene of a fire, on a drill or when testing, it becomes necessary to identify it as out-of-service. Damaged hose rolled in an out-of-service hose roll can be quickly identified and separated from serviceable hose.



Fire Protection Training

Procedures Handbook 4300

HOW TO MAKE AN OUT-OF-SERVICE HOSE ROLL-ONE PERSON METHOD

OPERATIONS

KEY POINTS

- | OPERATIONS | KEY POINTS |
|--------------------------------|--|
| 1. Lay out hose | 1a. Hose straight
b. Hose flat
c. No kinks and twists
d. Fully extended |
| 2. Take position | 2a. At female coupling
b. Facing male coupling |
| 3. Lean forward or squat | 3a. Bending at waist/knees |
| 4. Grasp coupling | 4a. Female
b. Both hands |
| 5. Roll Coupling | 5a. Forward over hose
b. Forming core
c. Leaving hand hold space |
| 6. Roll hose | 6a. Toward male coupling
b. Keeping rolled edge even
c. Tightly
d. Until male coupling reached
e. Do not roll over male coupling |
| 7. Lay rolled hose down | 7a. Carefully
b. On its side
c. Flatten out roll |
| 8. Secure or store rolled hose | 8a. With rubber band or restraining device
b. In proper compartment
c. In designated out- of-service area |

4307.10

Page 2



Fire Protection Training

Procedures Handbook 4300

HOW TO MAKE AN OUT-OF-SERVICE HOSE ROLL-ONE PERSON METHOD

APPLICATION:

Student to practice until proficient.

EVALUATION:

A performance examination.

ASSIGNMENT:

To be determined by the instructor(s).

Performance Examination

HOW TO MAKE AN OUT-OF-SERVICE HOSE ROLL – ONE PERSON METHOD

POINTS

TIME START

- | | | |
|----|--|-----------|
| 1. | Lay out hose straight, flat, with no twists or kinks. | <u>20</u> |
| 2. | Grasp the female coupling and begin to roll it toward the male coupling keeping the rolled edges even. | <u>20</u> |
| 3. | Continue to roll hose until the male coupling is reached keeping the rolled edges even. | <u>20</u> |
| 4. | Lay rolled hose on its side and flatten the roll using care not to damage the couplings. | <u>10</u> |
| 5. | Secure the rolled hose with a rubber band or other restraining device. | <u>10</u> |
| 6. | Place hose in designated out-of-service area. | <u>20</u> |

TIME STOP

ENTER TOTAL TIME: _____:

POINTS POSSIBLE: 100

POINTS DEDUCTED:

FINAL SCORE:

EVALUATOR'S SIGNATURE:

DATE:

Performance Examination

HOW TO MAKE AN OUT-OF-SERVICE HOSE ROLL – ONE PERSON METHOD

COMMENTS:
