



# Fire Protection Training

Procedures Handbook 4300

VEGETATION FIRES

**TOPIC:** Wildland Fire Behavior - Fuels

**TIME FRAME:** 1 Hour

**LEVEL OF INSTRUCTION:**

**BEHAVIORAL OBJECTIVE:**

*Condition:* A written quiz

*Behavior:* The student will list and describe fuel characteristics important to fire behavior and describe how physical characteristics and moisture content of fuels affect rate of spread and fire intensity.

*Standard:* With a minimum of 70% accuracy

**MATERIALS NEEDED:**

- Appropriate visual aids
- Audio visual equipment

**REFERENCES:**

- USDA, Fire Weather, Agriculture Handbook 360
- Wildland Firefighting, Clayton, Day and McFadden, Chapter 4
- IFSTA, Essentials of Fire Fighting, 2nd Edition, Chapter 14
- Fuel Moisture and Fire Danger, Countryman
- Fuel Moisture and Fire Behavior, Rice and Martin

**PREPARATION:**

CDF firefighters are routinely called upon to suppress vegetation fires throughout the state. Because of the diversity of fuel types and fuel conditions which may be encountered, it is important that you be able to recognize and anticipate fire behavior problems associated with those fuels.



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

PRESENTATION	APPLICATION
<p><b>I. INTRODUCTION</b></p> <p>A. The Combustible Components of Virtually All Vegetation Fuels are:</p> <ol style="list-style-type: none"><li>1. Cellulose</li><li>2. Lignin</li><li>3. Flammable waxes, oils and resins</li></ol> <p>B. Variations in the Flammability of Vegetation Fuels are Dependent on:</p> <ol style="list-style-type: none"><li>1. Physical characteristics (geometry)</li><li>2. Moisture content</li><li>3. Evergreen vs. deciduous type</li></ol> <p>C. Common Terms Used to Describe Fuels by Type:</p> <ol style="list-style-type: none"><li>1. Grass</li><li>2. Brush<ol style="list-style-type: none"><li>a. Small shrubs (sage)</li><li>b. Common chaparral species (chamise, manzanita, and ceonothus)</li><li>c. Small trees with low foliage (live oak)</li></ol></li><li>3. Timber</li><li>4. Litter<ol style="list-style-type: none"><li>a. The loose layer of dead twigs and branches, leaves and needles on the surface beneath trees or brush</li></ol></li><li>5. Duff</li></ol>	



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

PRESENTATION	APPLICATION
<ul style="list-style-type: none"><li>a. The layer of decaying organic material between the litter and the soil</li><li>6. Slash<ul style="list-style-type: none"><li>a. Heavy dead fuels including logs and branches lying on the surface</li><li>b. Produced when logging or other damage has removed the tree stand</li></ul></li><li>D. Terms Used to Describe Fuels by Position<ul style="list-style-type: none"><li>1. Aerial fuels<ul style="list-style-type: none"><li>a. The mass of foliage in trees or brush that lies well above the surface</li><li>b. These become involved under severe conditions and create the highest intensity fires</li></ul></li><li>2. Surface fuels<ul style="list-style-type: none"><li>a. Those fuels lying on or contiguous with the ground surface</li><li>b. Such as litter, grass, down dead material, small brush</li><li>c. These carry most fires</li></ul></li><li>3. Ground fuels<ul style="list-style-type: none"><li>a. Duff, highly organic soil, buried logs or branches, roots</li><li>b. These mostly smolder and create mop-up problems</li></ul></li></ul></li><li>E. Fuels Are Classified as "Dead" or "Live"</li></ul>	<p>Information sheet #1</p>



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

PRESENTATION	APPLICATION
<p>1. They follow very different moisture patterns</p> <p>a. Dead Fuels are Classified by the Approximate time it takes them to respond significantly to drying or wetting trends</p> <p>(1) 1-hour : 0" to 1/4" in diameter</p> <p>(2) 10-hour : 1/4" to 1" in diameter (the "fuel stick")</p> <p>(3) 100-hour : 1" to 3" in diameter</p> <p>(4) 1000-hour: over 3" in diameter</p> <p><b>II. ADDITIONAL PHYSICAL CHARACTERISTICS</b></p> <p>A. Fuel Loading</p> <p>1. The total weight of vegetation on a unit area of land</p> <p>2. Ranges from a few tons per acre for grass to hundreds of tons per acre for timber</p> <p>B. Fuel Availability</p> <p>1. The percentage of fuel that will be consumed by a fire</p> <p>2. It is near 100% for grass</p> <p>3. 10% or less for timber</p> <p>C. Surface-to-Volume Ratio (S/V)</p>	<p>Information sheet #2</p>



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

PRESENTATION	APPLICATION
<ul style="list-style-type: none"><li>1. Fuel surface area compared to the fuel volume<ul style="list-style-type: none"><li>a. Greater for fine or flattened fuels such as grass or leaves</li><li>b. Less for large fuels such as logs and branches</li><li>c. Higher surface to volume ratio means<ul style="list-style-type: none"><li>(1) More rapid drying/wetting, and</li><li>(2) More rapid ignition</li></ul></li></ul></li><li>D. Vertical Arrangement<ul style="list-style-type: none"><li>1. The distribution of fuel from bottom to top of the fuel complex<ul style="list-style-type: none"><li>a. Vertically oriented fuels burn better (standing grass vs. fallen grass)</li><li>b. Ladder fuels help spread surface fire into the aerial fuels</li></ul></li></ul></li><li>E. Horizontal Continuity<ul style="list-style-type: none"><li>1. How continuous or how broken the fuel is across the landscape<ul style="list-style-type: none"><li>a. Continuous fuels promote fire spread</li><li>b. In patchy fuels fire spread is impeded</li><li>c. Regaining intensity/spread in the thicker fuels</li></ul></li></ul></li><li>F. Compactness<ul style="list-style-type: none"><li>1. The degree of closeness or openness between fuel particles</li></ul></li></ul>	<p>Information sheet #3</p>



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

PRESENTATION	APPLICATION
<ul style="list-style-type: none"><li>a. Open fuels, such as grass, promote flame front spread<ul style="list-style-type: none"><li>(1) Unless they are too open or sparse</li><li>(2) Largely because oxygen has free access</li></ul></li><li>b. Compact fuels generally burn slowly<ul style="list-style-type: none"><li>(1) Often are more receptive to ignition by fire brands (as in compact litter or decaying wood)</li><li>(2) The heat of a brand is not lost rapidly.</li></ul></li></ul> <p>G. Dead-to-Live Ratio</p> <ul style="list-style-type: none"><li>1. The amount of dead attached material compared to the amount of living foliage<ul style="list-style-type: none"><li>a. Dead to live ratio increases with age of the stand or with damage that kills some parts of plants (insects, disease, fire, snow, wind, cold)</li><li>b. Generally higher Dead to live ratio means more flammable fuels, especially in brush</li></ul></li></ul>	
<p><b>III. FUEL MOISTURE</b></p> <ul style="list-style-type: none"><li>A. Amount of Water Held in the Tissues of Vegetation<ul style="list-style-type: none"><li>1. Expressed as a percentage<ul style="list-style-type: none"><li>a. The weight of water compared to weight of the dried plant material</li></ul></li><li>2. Strongly influences the flammability of vegetation</li></ul></li><li>B. Dead Fuel Moisture</li></ul>	



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

PRESENTATION	APPLICATION
<ul style="list-style-type: none"><li>1. Controlled by atmospheric moisture (as humidity and sometimes precipitation)<ul style="list-style-type: none"><li>a. Dead materials exchange moisture with water vapor in the air<ul style="list-style-type: none"><li>(1) Over time reaches a fuel moisture level that is in balance with the prevailing relative humidity</li></ul></li><li>b. It takes time for dead fuels to respond significantly to humidity changes<ul style="list-style-type: none"><li>(1) Minutes for grass</li><li>(2) Hours for twigs</li><li>(3) Days for branches</li><li>(4) Weeks for logs</li></ul></li></ul></li><li>2. The fine and small dead fuels are usually responsible for carrying the flaming front<ul style="list-style-type: none"><li>a. Dead fuel moisture greatly affects fire spread and intensity</li></ul></li><li>C. Live Fuel Moisture<ul style="list-style-type: none"><li>1. Controlled by<ul style="list-style-type: none"><li>a. Soil moisture</li><li>b. The plant's moisture regulating mechanisms and</li><li>c. Its water requirement</li></ul></li><li>2. In general the live fuel moisture is highest with the new growth of spring or early summer</li><li>3. Live fuel moisture declines throughout the summer, reaching its lowest level in the fall</li></ul></li></ul>	



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

PRESENTATION	APPLICATION
<ul style="list-style-type: none"><li>4. Live fuel moisture ranges from near 300% down to about 50% (different ranges for different species and locale)</li><li>5. Live fuel moisture levels have a major influence when fire will spread through the crowns of brush or timber</li></ul>	



# Fire Protection Training

Procedures Handbook 4300

WILDLAND FIRE BEHAVIOR-FUELS

---

## ***SUMMARY:***

Understanding how fuels affect fire spread and intensity is very important to safe fire control operations.

## ***EVALUATION:***

A written quiz.

## ***ASSIGNMENT:***

To be determined by instructor(s).